

CORIOmaster. Flexible, Simple, Secure.

We've been engineering the very best video scaling technology for over 30 years. Delivering totally flexible, high quality and low latency performance is part of our DNA. We've continually developed our patented, CORIO® scaling engine to keep you ahead of all your AV challenges. By developing our own architecture, it is simple to upgrade any device to the latest format types and connections as they become available.



Add visual appeal with 360° rotation for video windows and displays.



Intuitive and versatile design software for powerful and creative control.



connectivity and

AES IP decodes.



Extremely low latency of typically 1 frame for video and better than 300ms for IP in low latency mode.



Create visual interest and add essential information with real-time, keyed overlays.



Effortless multi-user control using our app or real-time RESTful API.



Enjoy endless creativity and eye-catching visuals with multi-screen synchronized media



You can manage up to four independent video wall canvases from a single unit.



Streamline your workflows and monitor system health & security using our advanced

ENDLESS POSSIBILITIES

Three Chassis



Powerful stand-alone video wall processor for expansive 1080p installations which can also display up to 5 4K video sources and up to 56 outputs.





Ultra-compact processor for up to four outputs with 1080p environments with some 4K connectivity.

Compact form factor solution for smaller 1080p solutions with the ability to add 2 4K video sources and up to 10 displays.

Thirteen Modules



Dual 4K HDMI Input

Dual 4K HDBaseT Input

4K HDMI Scaled Input

Dual DVI-Scaled Output

2160/60p

1080/60p

2160/30p

• Supports resolutions up to 4096 x

• 500ft reach with HD-One DX500 **Dual 3G-SDI Broadcast Input**

Supports resolutions up to 1920 x

• Supports all resolutions up to 3840 x

• Allows resolutions up to 4096 x 2160/60p



Dual 4K Streaming Media Input

- Dual, low latency, H.264 and H.265 network streaming
- · Dual 4K playback of clips and stills



Dual DVI Universal Input

 Supports resolutions up to 1920 x 1200/60p



Quad HD-SDI Broadcast Input

• Supports resolutions up to 1920 x 1080/30p



Quad HDMI Scaled Ouput

- Supports resolutions up to 1920 x 1080/60p
- Compatible with CORIOmaster, C3-540



Dual HDBaseT Scaled Output

- · Supports resolutions up to 1920x1200/60p
- 328ft reach with Magenta Receiver



Dual 3G-SDI Broadcast Input

• Supports resolutions up to 1920 x

 Supports resolutions up to 1920x1080/60p



S/PDIF and Analog Audio

- Embed and de-embed audio from S/PDIF or analog
- Cross convert digital and analog audio



Dual Keying Scaled Output

Luma keying up to 1920x1080/60p



Support legacy equipment with adapters



HDMI



CV













Custom Control



CORIOgrapher



CORIOmaster[®] Control





Dallas Cowboys, USA



Adobe's global HQ

The CORIOmaster difference

Create the ultimate video experience with CORIOmaster, the world's most advanced & flexible family of video processors, allowing any signal in to any signal out in glorious, eye-popping 4K quality.

Manage up to four video walls from

Mix low latency AV, IP & Broadcast

Deploy expansive video belts with

synchronized media clip playback


a single chassis.

NEW FEATURES

Synchronized Playback (



The Dual 4K Streaming and Media input module can now simultaneously play up to eight reliable, synchronized media clips onto ultra-wide video canvasses. This allows you to get creative and go beyond 4K resolutions to boost revenues, entertain and multi-purpose your installations. Additionally, use our FTP integration tools to improve workflow efficiencies.



- 4. Get creative and improve efficiencies with source keying
- Stay private, secure and safe with AES encrypted IP stream delivery
- Doing LED Right! Pixel perfect set ups guaranteed

You can trust your reputation with CORIOmaster. It's proven reliability is delivered through a mix of high-quality design, modularity and hand built manufacturing with a 100% test regime. In our stringent, in house, tests we see over 50,000 hours MTBF in even the harshest environmental conditions. This is why we are chosen by military, healthcare and higher education users globally.






Improve efficiency, overlay real-time data feeds, and boost safety with keyed icons, data and other information over your source or across entire video walls. Prevent your video wall from becoming invisible and enhance the viewer experience.



Applications

KTVU FOX 2. USA



Broadcast

- Manage up to four independent video walls from a single chassis
- 2. Low latency performance guaranteed
- 3. Seamlessly combine broadcast, AV and IP feeds with a built-in media player
- 4. Deploy expansive video belts with synchronized media clip playback
- 5. Secure, encrypted control with simultaneous multi-user access and monitoring

Healthcare

- Manage up to four video walls from a single chassis
- 2. Mix low latency, AV, IP and broadcast sources in a single chassis
- 3. Use keying for real-time data overlays or medical route guidance
- 4. Secure control with simultaneous multiuser access
- 5. Stay private, secure and safe with AES encrypted IP stream delivery



Command & Control

- Multi-zone capability for control, video and audio
- 2. Secure control with simultaneous multi-user access
- 3. Wide range of video formats supported for mission critical operations
- 4. Protect your streams with AES encryption
- 5. Mix low latency AV, IP and broadcast in a single chassis

CORIOmaster is a quantum leap from the technology we used before. Not only is it easy to use, but it is a high-quality broadcast build unlike software and PC based solutions, leaving endless flexibility of studio configuration to our imagination. The ability to control canvases independently with presets allows for much easier simultaneous use of both studios than ever before.

Laszlo Pandur Broadcast IT Specialist of AMC International Networks





Warwick University, UK

Education

- Manage four video walls from a single chassis
- Make it sing with embedded audio or external break out
- user access
- Mix low latency AV, IP and broadcast sources in a single chassis
- Grab your audience with eye-catching



"The video wall in the entrance area is our showcase for what is happening in the University. CORIOmaster has

Warwick University, UK

Corporate

- Secure control with simultaneous multi-
- Experience complete design freedom to create a 'one of a kind' video wall.
- Make it sing with embedded audio or external break out
- Mix low latency AV, IP and broadcast sources in a single chassis
- Manage four video walls from a single

Public Venues

- Secure control with simultaneous multiuser access
- Make it sing with embedded audio or external break out
- Remote monitoring of sources and system set-up
- Large, creative edge-blends with mixed orientation and up to 56 outputs
- Doing LED Right! Pixel perfect set ups -
- Save power with eco mode display switch off capability.






Wall Editor

Our new UI design makes it easy to create layouts, map sources and animate transitions with incredible ease. With CORIOgrapher, build the wall you want, not just the one you can.



Video Sync

Play up to 8 clips in perfect syncronization for expansive video experiences.



Keying

Use luma keying to overlay sources with full control over the key value and softness.



Dashboard

View all of your presets and sources across all four canvasses for simple and effective control.



Third Party Custom Control

Create custom control environments for your CORIOmaster using our RESTful API or choose to take control using our app, plug-ins or button control panel.

Accessorize your CORIOmaster

Companion Products

IP Encoding	H.264 encoding Magenta encoder 100		
KVM over IP	1080p KVM Pathfinder 500 Series	4K KVM Pathfinder 800 Series	
Wall Plate Transmitters	US form factor MG-WP-611-US	European form factor MG-WP-611-EU	
HDMI Extension	HDMI 2.0 Fiber Magenta MG-FB-61x	HDMI 2.0 Active Optical MG-AOC-66x series	HDMI over HDBaseT HD-One series
Pre-input Multi Windowing	IP, HDMI, HDBaseT & 3G-SDI CORIOview series	3G-SDI or HDMI/ DVI/VGA C2-6x04 series	HDMI or DisplayPort 1T-MV-8474
HDMI Matrix Solutions	Universal matrix CORIOmatrix	HDMI 2.0 4x4 MX-6544	HDMI 2.0 8x8 MX-6588
HDMI Distribution	Splitter MG-DA-612	4 Port DA MG-DA-614	8 Port DA MG-DA-618
Accessory Rack Mounting	Universal racking, powering & cooling ONErack	Single Unit Rack Mount	Double Unit Rack Mount
Hippotizer [™] Media Server	8K Playback at 60FPS. 4x DP 1.2 outputs. Tierra+	2x DVI, or HD-SDI + 1x DP 1.2 outputs. 4K playback. Karst+	1x DP 1.2 output, NDI capture and EDID Management. Nevis+

Need even more processing power?





The all new CORIOmaster2 is optimized for 4K60 environments and is 8K ready. Display up to 40 4K video sources with no visible latency and up to 56 outputs in 4RU.





Toll Free: 800-721-4044